

TOSHIBA



Toshiba T10 All-in-One POS Platform

Perfect Mix of Value and Performance

Achieving Brilliant Commerce with a Small-Scale All-in-One Platform

The retail landscape is evolving rapidly, requiring technology to transform at the same pace. Retailers are constantly seeking new ways to satisfy their shoppers' expectations with products and services that optimize operations and empower store associates. That is why the Toshiba T10 All-in-One POS system is retail optimized. Designed to be agile, flexible and reliable this POS system will scale as retailers and consumer demands change. Ultimately delivering the perfect mix of value, performance and style for budget-conscious businesses.

The Toshiba T10 is thoughtfully crafted with features you need and designed for the way you work. The unique small form factor design of the Toshiba T10 conserves retail space by fitting easily into the most compact of counter spaces. The primary display easily adjusts and conveniently folds so it can be used as a stand-alone concierge kiosk that acts as a virtual sales assistant, embedded into the counter as a self-service terminal, or even mounted on the wall, allowing for installation in any location. The dual display option allows you to tailor the information shared directly with the shopper ultimately transforming your retail store into a retail experience.

**TOGETHER
COMMERCE**

PERFORMANCE AND RELIABILITY AT AN AFFORDABLE PRICE



Retailers

Upgrade technology as it changes, decreasing your total cost of ownership.



Associates

Premier performance enables associates to provide reliable checkout experiences.



Customers

Engages shoppers with multiple in-store commerce capabilities.

Just Right Performance

The Toshiba T10 was designed to deliver the performance you need to keep your business running. With an Intel® quad-core processor and support for industry standard operating systems, you'll be empowered to meet and exceed the multimedia processing and compatibility requirements of mainstream embedded applications and partner solutions. As your business grows, so does your need to keep up with competitors by implementing the newest, most powerful technology in the market. The Toshiba T10 has a modular system board that can be upgraded in the future as the technology landscape changes, so there's no need to rip and replace your entire POS system just to keep up with the latest trends. The Toshiba T10 also comes equipped with dedicated POS ports, including powered USB and RS232, that enable you to connect the peripherals you need. This makes the Toshiba T10 a complete retail POS solution that provides premier hardware performance at an affordable price.

Operational Impact and Reliability

The Toshiba T10 is well suited to meet both aesthetic and durability requirements for front-of-store, back office, kiosk and even out-of-store applications. The projected capacitive touch screen of the Toshiba T10 is more resistant to scratching and surface contaminants and liquids. Ultimately, it is designed to be used in the toughest retail and hospitality environments. The Toshiba T10 was purposefully built for quicker installation and easier accessibility for quick in-store maintenance*, resulting in positive operational impact and lower total cost of ownership.

*Limited Care Flex options are available, please contact your Toshiba sales representative for more details



TOSHIBA

Copyright © 2018
Toshiba Global Commerce Solutions, Inc. All rights reserved.

Toshiba Global Commerce Solutions, Inc.
3901 S. Miami Blvd.
Durham, NC 27703 | U.S.A.
www.toshibacommerce.com

Toshiba and the Toshiba logo are trademarks or registered trademarks of Toshiba in the United States, other countries, or both. All other trademarks and logos are the property of their respective owners. Information in this document is subject to change without notice.

Not all Toshiba products and services are available in every country.

TCD15044-USEN-01

Toshiba T10 All-in-One POS System Technical Specifications

FEATURES	
Product Name	Toshiba T10
CPU	Intel® Celeron® J1900 / up to 2.42 GHz
Memory	4GB Memory (1 DIMM & Upgradeable), up to 8GB max
Storage	128GB SATA M.2 2280 SSD
Audio	Mono Speaker / PC Beeper (1) x 3.5mm 4 conductor combo audio jack (CTIA only)
Speaker	2W mono internal speaker
Ethernet	Realtek
Fixed Connectors	<ul style="list-style-type: none"> - (1) x 24V Powered USB - (2) x 12V Powered USB - (4) x 5V USB 3.0 - (4) x RS232 (2-DB-9, 2 RJ50) - (1) x Mini Display Port / VGA - (1) x Drawer Port Minimum – RJ12 - (1) x RJ45 Ethernet - Stereo Speaker / PC Beeper - (1) x 3.5mm 4 conductor combo audio jack (Line-out and Mic-in)
Powered Connector options	<ul style="list-style-type: none"> - (1) x 24V Powered USB 2.5A - (2) x 12V Powered USB 1.5A - (4) x USB 3.0 - (4) x RS232 with DB-9 / 2 x RX232 with RJ50 to DB-9 cable - (1) x mini-DisplayPort, supporting active converter cable to VGA, DVI, HDMI - (1) x Drawer Port – RJ12 24V - (1) x Gigabit Ethernet by RJ-45, support Wake on LAN, support boot for LAN - (1) x 3.5 mm 4 conductor Combo Audio Jack (Line-out and Mic-in) - (1) x Power Button - COM1/COM2 DB9 pin9 with 5V/12V selectable by BIOS. No jumper. - COM3/COM4 RJ50 with convert to DB9 cable, DB9 pin9 with with 5V/12 selectable by BIOS. No jumper - Color / Key Coded Parts
Primary Display	<ul style="list-style-type: none"> - 15" 4:3 1024x768 resolution, - 250nits - LED backlight with 50K hours of life - Bezel Free with 10-points PCT touch
Controls / Indicators	<ul style="list-style-type: none"> - Power, SSD, Network LED's - Power On Button
Peripherals (optional)	<ul style="list-style-type: none"> - 2x20 customer display - 10" second display - MSR - MSR+iButton combo

Operating System	Support	Support POS Drivers	Preload
Windows 10 2016 LTSB (32-bit and 64-bit)	Yes	Yes	No Preload
Windows Embedded 7 / Win7	Yes	Yes	No Preload
Windows Embedded POSReady 7	Yes	Yes	No Preload
Windows Embedded 8.1 Industry	Yes	Yes	No Preload
Linux kernel 4.0+ Ubuntu Linux & associated distributions	Yes	Yes	No Preload

Item	Height	Width	Depth	Weight
System	316 mm (12.40 in)	360 mm (14.17 in)	193 mm (7.60 in)	Net Weight 5.0 Kg (11 lbs) Gross Weight 6.5 Kg (14 lbs)